


Cable Stripper – Large & Small

- RoHS Compliant

The Large Diameter Cable Stripper can cut cable jackets from 3/8" to 7/8" outside diameter size. The Small Diameter Cable Stripper can cut cable jackets from 0.25" to 0.675" outside diameter size. It's compact and ergonomically designed to keep a good grip while stripping cable jackets. It has a calibrated micrometer dial to allow for precise depth of your cut. A free replacement blade is included in every tool. Safer to use than a knife or razor blade. Made in the U.S.A.



ORDERING INFORMATION

(MINIMUM PURCHASE MAY BE REQUIRED IF PRODUCT NOT STOCKED)

LARGE & SMALL DIAMETER	
PART NO.	CORD O.D. RANGE (IN)
91450	0.375 – 0.875 (Large Diameter)
91400	0.250 – 0.675 (Small Diameter)
11400	Replacement Blades

Wire Stripper & Cutter (Y500B)

- RoHS Compliant

Lightweight stripper and cutter for quick, easy wire processing. The unique stripping blades automatically adjust to the wire gauge and strips with a quick squeeze of the handles. Cutting blade is exposed by pushing the thumb notch forward, inserting the wire and squeezing the handle to cut.



ORDERING INFORMATION


(MINIMUM PURCHASE MAY BE REQUIRED IF PRODUCT NOT STOCKED)

LARGE DIAMETER		
PART NO.	SIZES	CORD O.D. RANGE (IN)
Y500B	20-12 AWG	–

Heavy-Duty Cable Stripper

- RoHS Compliant

TPC's Heavy-Duty Cable Stripper is ideal for stripping rubber jacketed cable. All too often a box cutter is used which can be very dangerous. This tool will easily and safely strip the jacket of cables ranging from 1/4" up to 2-1/4". This cable stripper is easy to use, provides precise cuts and protects people from injury.



ORDERING INFORMATION

(MINIMUM PURCHASE MAY BE REQUIRED IF PRODUCT NOT STOCKED)

HEAVY-DUTY	
PART NO.	CORD O.D. RANGE (IN)
91470	0.25 – 2.25
11470	Replacement Blades

Wire Stripper (HY510B)

- RoHS Compliant

TPC's Wire Stripper is a durable tool that can strip cord with an outside diameter range of 0.0395" to 0.1260". It has an automatic function that prevents the crushing or cutting of the finest wires or wire filaments. A great addition to any electrician's tool box.



ORDERING INFORMATION

(MINIMUM PURCHASE MAY BE REQUIRED IF PRODUCT NOT STOCKED)


SMALL DIAMETER		
PART NO.	SIZES	CORD O.D. RANGE (IN)
HY510B	18-8 AWG	0.0395 – 0.1260

Cable Glands & Strain Reliefs
Tubing & Wire Bundling
Sleeving
Tape/Wrap
Inventory Management
Tools

Ratcheting Cable Cutter

- RoHS Compliant

TPC's Ratcheting Cable Cutter can accommodate copper or aluminum cables up to 1-1/4" diameter. The precision ratcheting design provides added torque and makes it easy to cut large cables in tight spaces. The blades are hardened steel and can be resharpened, providing a longer life. The tool frame is made of carbon steel making it rust resistant. The handles are coated with anti-slip PVC providing a comfortable grip.



ORDERING INFORMATION


(MINIMUM PURCHASE MAY BE REQUIRED IF PRODUCT NOT STOCKED)

RATCHETING CABLE CUTTER	
PART NO.	CORD O.D. RANGE (IN)
91455	Up to 1.25

Cable Cutter

- RoHS Compliant

TPC's Cable Cutter is a durable tool that cleanly and easily cuts cord with an outside diameter range of 0.25" to 0.75". Cutter blade is replaceable.



ORDERING INFORMATION

(MINIMUM PURCHASE MAY BE REQUIRED IF PRODUCT NOT STOCKED)

CABLE CUTTER	
PART NO.	CORD O.D. RANGE (IN)
PVC100	0.25 – 0.75

Temperature Tag

- Temperature Range 90°C – 250°C (194°F – 482°F)
- One Time Use
- Immediate Response
- Oil and Water Resistant
- Self Adhesive Label

TPC WIRE & CABLE CORP.
EXPECT HIGH PERFORMANCE

°C	°F
250	482
200	392
150	302
125	257
105	221
90	194

WWW.TPCWIRE.COM
1-800-521-7935

- 246°C – 254°C (474.8°F - 489.2°F)
- 196°C – 204°C (384.8°F – 399.2°F)
- 148.5°C – 151.5°C (299.3°F – 304.7°F)
- 125.5°C – 128.5°C (257.9°F – 263.3°F)
- 103.5°C – 106.5°C (218.3°F – 223°F)
- 89°C – 91°C (192.2°F – 195.8°F)

The TPC Temperature Tag will allow you to choose the right cable for your environment. Temperature affects ampacity, with this tag, you can know, with certainty, what temperature range your application reaches. The tag changes color from orange to black. In the environment, black indicates highest temperature.

APPLICATIONS

- Conveyors
- Pumps
- Motor Operated Valves
- Emergency Isolation Valves
- Kiln Fans
- Furnaces
- Control Panels
- Any Hot Environment

ORDERING INFORMATION

(MINIMUM PURCHASE MAY BE REQUIRED IF PRODUCT NOT STOCKED)

TEMPERATURE TAG	
PART NO.	SIZE (IN)
TEMPTAG-90C-250C	0.75 x 2