

## Gauge Size

26 AWG			
PRODUCT NAME	CABLE TYPE	NO. OF CONDUCTORS	PAGE
Trex-Onics® Industrial Ethernet Patch/Work Area CAT7A Cable	Bus	4 PR	69
Trex-Onics® Industrial Ethernet Patch/Work Area CAT6A Cable	Bus	4 PR	69
24 AWG			
Chem-Gard® 200°C CAT6 Industrial Ethernet Cable	Bus	4 PR	71
Trex-Onics® Industrial Ethernet CAT5E / 2 Pair Cable	Bus	2 PR	72
Chem-Gard® 200 Individually Shielded Multi-Pair Control / Resolver Cable	Chemical & Temp. Resistant	2, 3, 4, 6, 7, 9 PR	93
Trex-Onics® Individually Shielded Multi-Pair Control Cable	Control/Instrumentation	2, 3, 4, 6, 9, 12 PR	65
Trex-Onics® Individually Shielded Resolver & Intrinsically Safe Cable	Control/Instrumentation	2, 3, 4, 6, 7, 9 PR	67
Trex-Onics® Low Capacitance Cable	Control/Instrumentation	2, 3, 4, 6, 9, 10, 12 PR	68
Trex-Onics® Multi-Pair Control Cable	Control/Instrumentation	4 PR	63
Trex-Onics® Overall Shielded Continuous Flex Multi-Conductor Cable	Control/Instrumentation	2, 4, 6, 9	61
23 AWG			
Trex-Onics® Profibus Festoon/Trailing Cable	Bus	2	75
22 AWG			
Trex-Onics® Industrial Ethernet Shielded Horizontal CAT6A Cable	Bus	8	70
Chem-Gard® 200 Individually Shielded Multi-Pair Control / Resolver Cable	Chemical & Temp. Resistant	2, 3, 4, 6, 7, 9 PR	93
Trex-Onics® Individually Shielded Resolver & Intrinsically Safe Cable	Control/Instrumentation	2, 3, 4, 6, 7, 9 PR	67
Thermo-Trex® 2000 Cable	High Temperature	1	107
Thermo-Trex® Type JX, KX, RSX Thermocouple Extension Wire	Thermocouple Extension Wire	1, 2 PR	120
20 AWG			
Trex-Onics® ControlNet RG-6U Quad-Shield Coaxial Cable	Bus	1	74
Chem-Gard® 200 Individually Shielded Multi-Pair Control / Resolver Cable	Chemical & Temp. Resistant	2, 3, 4, 6, 7, 9 PR	93
Super-Trex® Reduced Diameter Control Cable (20 AWG)	Control/Instrumentation	5, 12, 19, 25, 33, 47, 65	60
Trex-Onics® Individually Shielded Multi-Pair Control Cable	Control/Instrumentation	2, 3, 4, 6, 9, 12, 18 PR	65
Trex-Onics® Individually Shielded Resolver & Intrinsically Safe Cable	Control/Instrumentation	2, 3, 4, 6, 7, 9 PR	67
Trex-Onics® Multi-Pair Control Cable	Control/Instrumentation	2, 3, 6, 9, 12 PR	63
Trex-Onics® Overall Shielded Continuous Flex Multi-Conductor Cable	Control/Instrumentation	2, 6, 9, 12, 18, 24, 26	61
Thermo-Trex® 2000 Cable	High Temperature	1	107
18 AWG — Continued On Next Page			
Trex-Onics® Servo Motor Cable	VFD	4	51
Chem-Gard® 200 TC Rated Cable	Chemical & Temp. Resistant	4, ,8, 12	94
Chem-Gard® 200 Individually Shielded Multi-Pair Control / Resolver Cable	Chemical & Temp. Resistant	2, 3, 4, 6, 7, 9 PR	93
Chem-Gard® 200 Cable – Unshielded Multi-Conductor	Chemical & Temp. Resistant	4, 5, 12	95
Chem-Gard® 200 Cable – Shielded Multi-Conductor	Chemical & Temp. Resistant	3, 4, 12	97
Chem-Gard® 200 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	96
Chem-Gard® 150 Cable – Unshielded Multi-Conductor	Chemical & Temp. Resistant	4, 12	100
Chem-Gard® 150 Cable – Shielded Multi-Conductor	Chemical & Temp. Resistant	3, 4, 12	101
Chem-Gard® 150 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	100
Chem-Gard® 150 Cable with Defender Technology – Shielded	Chemical & Temp. Resistant	3, 4, 12	98
Chem-Gard® 150 Cable with Defender Technology – Unshielded	Chemical & Temp. Resistant	4, 12	98
Super-Trex® Reduced Diameter Control Cable (18 AWG)	Control/Instrumentation	5, 12, 19, 25, 33, 49, 65	59
Trex-Onics® Individually Shielded Multi-Pair Control Cable	Control/Instrumentation	2, 3, 4, 6, 9, 12 PR	65
Trex-Onics® Multi-Pair Control Cable	Control/Instrumentation	2, 3, 4, 6, 9, 12 PR	63

## Gauge Size

<b>18 AWG — Continued</b>			
<b>PRODUCT NAME</b>	<b>CABLE TYPE</b>	<b>NO. OF CONDUCTORS</b>	<b>PAGE</b>
Trex-Onics® Overall Shielded Continuous Flex Multi-Conductor Cable	Control/Instrumentation	2, 3, 4, 6, 9, 12, 18, 24, 33, 49, 65	61
Thermo-Trex® 2000 Cable	High Temperature	1	107
Thermo-Trex® 850 Cable	High Temperature	1	108
Thermo-Trex® 500 Cable	High Temperature	1	113
Thermo-Trex® Flare Stack Cable	Igniter	1	118
Thermo-Trex® Igniter Wire with Fiberglass Jacket	Igniter	1	119
Thermo-Trex® Igniter Wire with Fluoropolymer Jacket	Igniter	1	119
Super-Trex® Ultra-Gard® Portable Cord (Type TC-ER Rated)	Portable Cord	3, 4	29
Trex-Onics® High-Flex Ultra-Coil Retractable	Retractable Coil Cord	3, 4, 12	90
Thermo-Trex® Type JX, KX, RSX Thermocouple Extension Wire	Thermocouple Extension Wire	1, 2 PR	120
<b>16 AWG</b>			
Chem-Gard® 200 TC Rated Cable	Chemical & Temp. Resistant	4, 8, 12	94
Chem-Gard® 200 Cable – Unshielded Multi-Conductor	Chemical & Temp. Resistant	4, 12	95
Chem-Gard® 200 Cable – Shielded Multi-Conductor	Chemical & Temp. Resistant	2, 3, 4, 12	97
Chem-Gard® 200 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	96
Chem-Gard® 150 Cable – Unshielded Multi-Conductor	Chemical & Temp. Resistant	4, 12	100
Chem-Gard® 150 Cable – Shielded Multi-Conductor	Chemical & Temp. Resistant	2, 3, 4, 12	101
Chem-Gard® 150 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	100
Chem-Gard® 150 Cable with Defender Technology – Shielded	Chemical & Temp. Resistant	4, 12	98
Chem-Gard® 150 Cable with Defender Technology – Unshielded	Chemical & Temp. Resistant	4, 8, 12	98
Super-Trex® Reduced Diameter Control Cable (16 AWG)	Control/Instrumentation	5, 7, 8, 12, 16, 19, 22, 25, 31, 33, 41, 47, 49, 60	57
Trex-Onics® Multi-Pair Control Cable	Control/Instrumentation	1 PR	63
Trex-Onics® Overall Shielded Continuous Flex Multi-Conductor Cable	Control/Instrumentation	3, 5, 9, 12, 19, 25, 31	61
Trex-Onics® Flat Festoon Cable	Flat Festoon	4, 8, 12	87
Thermo-Trex® 2800 Cable	High Temperature	3	106
Thermo-Trex® 2000 Cable	High Temperature	1, 4	107
Thermo-Trex® 850 Cable	High Temperature	1, 4, 12	108
Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	110
Thermo-Trex® 500 Cable	High Temperature	1	113
Thermo-Trex® 500-Plus Silicone Cable	High Temperature	2, 3, 4, 5	114
Thermo-Trex® 200-HD Multi-Conductor Cable	High Temperature	4, 7	111
Thermo-Trex® Flare Stack Cable	Igniter	1	118
Super-Trex® Triple-Gard® Black Portable Cord	Portable Cord	3, 4	31
Super-Trex® Ultra-Gard® Type TC-ER Portable Cord	Portable Cord	3, 4	29
Super-Trex® Heavy-Duty High Flex Crane Cable	Reeling	9, 16	55
Super-Trex® Multi-Conductor P&R Cable	Reeling	6, 8, 10, 12, 16, 20, 24, 33, 36, 41, 49	53
Trex-Onics® Reduced Diameter Extra Heavy-Duty Reeling Cable	Reeling	6, 8, 12, 16, 20, 24	52
Trex-Onics® High-Flex Ultra-Coil Retractable	Retractable Coil Cord	3, 4, 8	90
Thermo-Trex® Type JX, KX, RSX Thermocouple Extension Wire	Thermocouple Extension Wire	1, 2 PR	120
Trex-Onics® Variable Frequency Drive Shielded Power Cable	VFD	4	49
<b>14 AWG — Continued On Next Page</b>			
Chem-Gard® 200 TC Rated Cable	Chemical & Temp. Resistant	4, 8, 12	94
Chem-Gard® 200 Cable – Unshielded Multi-Conductor	Chemical & Temp. Resistant	4, 12	95
Chem-Gard® 200 Cable – Shielded Multi-Conductor	Chemical & Temp. Resistant	4	97

## Gauge Size

<b>14 AWG — Continued</b>			
<b>PRODUCT NAME</b>	<b>CABLE TYPE</b>	<b>NO. OF CONDUCTORS</b>	<b>PAGE</b>
Chem-Gard® 200 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	96
Chem-Gard® 150 Cable – Unshielded Multi-Conductor	Chemical & Temp. Resistant	4, 12	100
Chem-Gard® 150 Cable – Shielded Multi-Conductor	Chemical & Temp. Resistant	4	101
Chem-Gard® 150 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	100
Chem-Gard® 150 Cable with Defender Technology – Shielded	Chemical & Temp. Resistant	4	98
Chem-Gard® 150 Cable with Defender Technology – Unshielded	Chemical & Temp. Resistant	4, 8, 12	98
Trex-Onics® Multi-Pair Control Cable	Control/Instrumentation	1 PR	63
Trex-Onics® Overall Shielded Continuous Flex Multi-Conductor Cable	Control/Instrumentation	10	61
Trex-Onics® Flat Festoon Cable	Flat Festoon	8, 12	87
Thermo-Trex® 2800 Cable	High Temperature	1	106
Thermo-Trex® 2000 Cable	High Temperature	1	107
Thermo-Trex® 850 Cable	High Temperature	1	108
Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	110
Thermo-Trex® 500-K Multi-Conductor Cable	High Temperature	2, 3, 4, 5, 7, 9, 12	109
Thermo-Trex® 500 Cable	High Temperature	1	113
Thermo-Trex® 200-HD Multi-Conductor Cable	High Temperature	2, 3, 4, 7, 9, 12	111
Thermo-Trex® 200-HD Single Conductor Cable	High Temperature	1	112
Thermo-Trex® Flare Stack Cable	Igniter	1	118
Super-Trex® Extreme Temperature Cable	Portable Cord	3, 4	32
Super-Trex® Triple-Gard® Yellow Portable Cord	Portable Cord	3, 4	30
Super-Trex® Triple-Gard® Black Portable Cord	Portable Cord	3, 4	31
Super-Trex® Ultra-Gard® Type TC-ER Portable Cord	Portable Cord	3, 4	29
Super-Trex® Heavy-Duty High Flex Crane Cable	Reeling	12, 24	55
Super-Trex® Multi-Conductor P&R Cable	Reeling	7, 8, 10, 12, 16, 20, 24	53
Trex-Onics® Reduced Diameter Extra Heavy-Duty Reeling Cable	Reeling	8, 16, 37	52
Trex-Onics® Sootblower Cable	Retractable Coil Cord	4	89
Trex-Onics® High-Flex Ultra-Coil Retractiles	Retractable Coil Cord	4	90
Trex-Onics® Variable Frequency Drive Shielded Power Cable	VFD	4	49
Trex-Onics® Low Capacitance VFD Shielded Power Cable with Brake & Signal Pairs	VFD	4 + 1 PR, 4 + 2 PR	50

<b>12 AWG — Continued On Next Page</b>			
Chem-Gard® 200 TC Rated Cable	Chemical & Temp. Resistant	4, 8	94
Chem-Gard® 200 Cable – Unshielded Multi-Conductor	Chemical & Temp. Resistant	4	95
Chem-Gard® 200 Cable – Shielded Multi-Conductor	Chemical & Temp. Resistant	4	97
Chem-Gard® 200 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	96
Chem-Gard® 150 Cable – Unshielded Multi-Conductor	Chemical & Temp. Resistant	4	100
Chem-Gard® 150 Cable – Shielded Multi-Conductor	Chemical & Temp. Resistant	4	101
Chem-Gard® 150 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	100
Chem-Gard® 150 Cable with Defender Technology – Shielded	Chemical & Temp. Resistant	4	98
Chem-Gard® 150 Cable with Defender Technology – Unshielded	Chemical & Temp. Resistant	4	98
Super-Trex® Reduced Diameter Control Cable (12 AWG)	Control/Instrumentation	8, 12, 22	56
Trex-Onics® Flat Festoon Cable	Flat Festoon	4	87
Thermo-Trex® 2800 Cable	High Temperature	1, 4	106
Thermo-Trex® 2000 Cable	High Temperature	1, 4	107
Thermo-Trex® 850 Cable	High Temperature	1, 4	108
Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	110
Thermo-Trex® 500-K Multi-Conductor Cable	High Temperature	2, 3, 4, 5, 7, 9, 12	109
Thermo-Trex® 500 Cable	High Temperature	1	113

## Gauge Size

<b>12 AWG — Continued</b>			
<b>PRODUCT NAME</b>	<b>CABLE TYPE</b>	<b>NO. OF CONDUCTORS</b>	<b>PAGE</b>
Thermo-Trex® 200-HD Multi-Conductor Cable	High Temperature	3, 4, 7, 9, 12	111
Thermo-Trex® 200-HD Single Conductor Cable	High Temperature	1	112
Thermo-Trex® Flare Stack Cable	Igniter	1	118
Super-Trex® Extreme Temperature Cable	Portable Cord	3, 4	32
Super-Trex® Triple-Gard® Yellow Portable Cord	Portable Cord	3, 4	30
Super-Trex® Triple-Gard® Black Portable Cord	Portable Cord	3, 4	31
Super-Trex® Ultra-Gard® Type TC-ER Portable Cord	Portable Cord	4	29
Trex-Onics® Heavy-Duty High Flex Crane Cable	Reeling	12, 24	55
Super-Trex® Multi-Conductor P&R Cable	Reeling	6, 8, 12, 20, 30	53
Trex-Onics® Reduced Diameter Extra Heavy-Duty Reeling Cable	Reeling	6, 8, 12, 14, 30	52
Trex-Onics® High-Flex Ultra-Coil Retractable	Retractable Coil Cord	4	90
Trex-Onics® Variable Frequency Drive Shielded Power Cable	VFD	4	49
Trex-Onics® Low Capacitance VFD Shielded Power Cable with Brake & Signal Pairs	VFD	4 + 1 PR, 4 + 2 PR	50
Thermo-Trex® High Temp Flat Festoon Cable	Flat Festoon	4	88

<b>10 AWG</b>			
Chem-Gard® 200 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	96
Chem-Gard® 150 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	100
Trex-Onics® Flat Festoon Cable	Flat Festoon	4	87
Thermo-Trex® 2800 Cable	High Temperature	1	106
Thermo-Trex® 2000 Cable	High Temperature	1	107
Thermo-Trex® 850 Cable	High Temperature	1	108
Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	110
Thermo-Trex® 500-K Multi-Conductor Cable	High Temperature	2, 3, 4, 5, 7, 9, 12	109
Thermo-Trex® 500 Cable	High Temperature	1	113
Thermo-Trex® 200-HD Multi-Conductor Cable	High Temperature	3, 4, 7, 12	111
Thermo-Trex® 200-HD Single Conductor Cable	High Temperature	1	112
Thermo-Trex® Flare Stack Cable	Igniter	1	118
Super-Trex® Extreme Temperature Cable	Portable Cord	3, 4	32
Super-Trex® Triple-Gard® Yellow Portable Cord	Portable Cord	3, 4	30
Super-Trex® Triple-Gard® Black Portable Cord	Portable Cord	3, 4	31
Super-Trex® Ultra-Gard® Type TC-ER Portable Cord	Portable Cord	4	29
Super-Trex® Heavy-Duty High Flex Crane Cable	Reeling	12, 24	55
Super-Trex® Multi-Conductor P&R Cable	Reeling	6, 8, 12	53
Trex-Onics® Variable Frequency Drive Shielded Power Cable	VFD	4	49
Trex-Onics® Low Capacitance VFD Shielded Power Cable with Brake & Signal Pairs	VFD	4 + 1 PR, 4 + 2 PR	50

<b>8 AWG — Continued On Next Page</b>			
Chem-Gard® 200 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	96
Chem-Gard® 150 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	100
Thermo-Trex® 2000 Cable	High Temperature	1	107
Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	110
Thermo-Trex® 500 Cable	High Temperature	1	113
Thermo-Trex® 200-HD Multi-Conductor Cable	High Temperature	4	111
Super-Trex® Extreme Temperature Cable	Portable Cord	3, 4	32
Super-Trex® Type W Portable Power & Automation Cable	Power	2, 4	33

## Gauge Size

<b>8 AWG — Continued</b>			
<b>PRODUCT NAME</b>	<b>CABLE TYPE</b>	<b>NO. OF CONDUCTORS</b>	<b>PAGE</b>
Super-Trex® Type W/Type TC Portable Power & Automation Cable	Power	2, 3, 4	35
Trex-Onics® Variable Frequency Drive Shielded Power Cable	VFD	4	49
Trex-Onics® Low Capacitance VFD Shielded Power Cable with Brake & Signal Pairs	VFD	4 + 1 PR, 4 + 2 PR	50
<b>6 AWG</b>			
Chem-Gard® 200 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	96
Chem-Gard® 150 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	100
Trex-Onics® Flat Festoon Cable	Flat Festoon	4	87
Thermo-Trex® 2000 Cable	High Temperature	1	107
Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	110
Thermo-Trex® 500 Cable	High Temperature	1	113
Thermo-Trex® 200-HD Multi-Conductor Cable	High Temperature	4	111
Super-Trex® Unshielded Jumper Cable (15 kV)	Medium Voltage	1	45
Super-Trex® Extreme Temperature Cable	Portable Cord	3, 4	32
Super-Trex® Type W Portable Power & Automation Cable	Power	2, 4	33
Super-Trex® Type W/Type TC Portable Power & Automation Cable	Power	2, 3, 4, 5, 6	35
Trex-Onics® Variable Frequency Drive Shielded Power Cable	VFD	4	49
Super-Trex® 600 Volt Welding Cable	Welding	1	46
Trex-Onics® Low Capacitance VFD Shielded Power Cable with Brake & Signal Pairs	VFD	4 + 1 PR, 4 + 2 PR	50
<b>4 AWG</b>			
Chem-Gard® 200 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	96
Chem-Gard® 150 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	100
Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	110
Thermo-Trex® 500 Cable	High Temperature	1	113
Thermo-Trex® 200-HD Multi-Conductor Cable	High Temperature	4	111
Super-Trex® Unshielded Jumper Cable (15 kV)	Medium Voltage	1	45
Super-Trex® Extreme Temperature Cable	Portable Cord	3, 4	32
Super-Trex® Type W Portable Power & Automation Cable	Power	2, 4	33
Super-Trex® Type W/Type TC Portable Power & Automation Cable	Power	2, 3, 4	35
Super-Trex® Aramid Reinforced Orange Portable Power Reeling Cable	Power & Reeling	4	36
Trex-Onics® Reduced Diameter Power Cable	Power	3	38
Super-Trex® Variable Frequency Drive Shielded Power Cable	VFD	3	48
Trex-Onics® Variable Frequency Drive Shielded Power Cable	VFD	4	49
Super-Trex® 600 Volt Welding Cable	Welding	1	46
Super-Trex® DC Welding Cable	Welding	1	47
Trex-Onics® Low Capacitance VFD Shielded Power Cable with Brake & Signal Pairs	VFD	4 + 1 PR	50
<b>2 AWG — Continued On Next Page</b>			
Chem-Gard® 200 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	96
Chem-Gard® 150 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	100
Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	110
Thermo-Trex® 500 Cable	High Temperature	1	113
Thermo-Trex® 200-HD Multi-Conductor Cable	High Temperature	4	111
Super-Trex® Medium Voltage Single Conductor Power Cable	Medium Voltage	1	43
Super-Trex® Unshielded Jumper Cable (15 kV)	Medium Voltage	1	45
Super-Trex® Extreme Temperature Cable	Portable Cord	3, 4	32

## Gauge Size

### 2 AWG — Continued

PRODUCT NAME	CABLE TYPE	NO. OF CONDUCTORS	PAGE
Super-Trex® Type W Portable Power & Automation Cable	Power	2, 4	33
Super-Trex® Type W—RHH/RHW-2 Single Conductor Power Cable	Power	1	39
Super-Trex® Type W/Type TC Portable Power & Automation Cable	Power	2, 3, 4, 5	35
Super-Trex® Aramid Reinforced Orange Portable Power Reeling Cable	Power & Reeling	4	36
Trex-Onics® Reduced Diameter Power Cable	Power	3	38
Super-Trex® Variable Frequency Drive Shielded Power Cable	VFD	3	48
Super-Trex® 600 Volt Welding Cable	Welding	1	46
Super-Trex® DC Welding Cable	Welding	1	47

### 1 AWG

Chem-Gard® 200 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	96
Chem-Gard® 150 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	100
Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	110
Thermo-Trex® 500 Cable	High Temperature	1	113
Super-Trex® Medium Voltage Single Conductor Power Cable	Medium Voltage	1	43
Super-Trex® DC Welding Cable	Welding	1	47

### 1/0 AWG

Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	110
Thermo-Trex® 500 Cable	High Temperature	1	113
Thermo-Trex® 200-HD Single Conductor Cable	High Temperature	1	112
Super-Trex® Medium Voltage Single Conductor Power Cable	Medium Voltage	1	43
Super-Trex® Unshielded Jumper Cable (15 kV)	Medium Voltage	1	45
Super-Trex® Type W Portable Power & Automation Cable	Power	2	33
Super-Trex® Type W/Type TC Portable Power & Automation Cable	Power	2, 3	35
Super-Trex® Type MV-105 Cable	Power		42
Super-Trex® Variable Frequency Drive Shielded Power Cable	VFD	3	48
Super-Trex® 600 Volt Welding Cable	Welding	1	46
Super-Trex® DC Welding Cable	Welding	1	47

### 2/0 AWG

Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	110
Thermo-Trex® 500 Cable	High Temperature	1	113
Thermo-Trex® 200-HD Single Conductor Cable	High Temperature	1	112
Super-Trex® Medium Voltage Single Conductor Power Cable	Medium Voltage	1	43
Super-Trex® Unshielded Jumper Cable (15 kV)	Medium Voltage	1	45
Super-Trex® Single Conductor Power Cable	Power	1	40
Super-Trex® Type W Portable Power & Automation Cable	Power	4, 3	33
Super-Trex® Type W—RHH/RHW-2 Single Conductor Power Cable	Power	1	39
Super-Trex® Variable Frequency Drive Shielded Power Cable	VFD	3	48
Super-Trex® 600 Volt Welding Cable	Welding	1	46
Super-Trex® DC Welding Cable	Welding	1	47

### 3/0 AWG

Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	110
Thermo-Trex® 500 Cable	High Temperature	1	113
Super-Trex® Single Conductor Power Cable	Power	1	40
Super-Trex® DC Welding Cable	Welding	1	47

## Gauge Size

4/0 AWG			
PRODUCT NAME	CABLE TYPE	NO. OF CONDUCTORS	PAGE
Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	110
Thermo-Trex® 500 Cable	High Temperature	1	113
Thermo-Trex® 200-HD Single Conductor Cable	High Temperature	1	112
Super-Trex® Medium Voltage Single Conductor Power Cable	Medium Voltage	1	43
Super-Trex® Unshielded Jumper Cable (15 kV)	Medium Voltage	1	45
Super-Trex® Single Conductor Power Cable	Power	1	40
Super-Trex® Type W—RHH/RHW-2 Single Conductor Power Cable	Power	1	39
Super-Trex® 4/0 Type TC Power Cable	Power	2, 3	37
Super-Trex® Type MV-105 Cable	Power		42
Super-Trex® Variable Frequency Drive Shielded Power Cable	VFD	3	48
Super-Trex® 600 Volt Welding Cable	Welding	1	46
Super-Trex® DC Welding Cable	Welding	1	47
250 KCMIL			
Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	110
Super-Trex® Medium Voltage Single Conductor Power Cable	Medium Voltage	1	43
Super-Trex® Type W—RHH/RHW-2 Single Conductor Power Cable	Power	1	39
262 KCMIL			
Super-Trex® Single Conductor Power Cable	Power	1	40
Super-Trex® Variable Frequency Drive Shielded Power Cable	VFD	3	48
313 KCMIL			
Super-Trex® Single Conductor Power Cable	Power	1	40
350 KCMIL			
Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	110
Super-Trex® Medium Voltage Single Conductor Power Cable	Medium Voltage	1	43
Super-Trex® Unshielded Jumper Cable (15 kV)	Medium Voltage	1	45
Super-Trex® Type W—RHH/RHW-2 Single Conductor Power Cable	Power	1	39
Super-Trex® Type MV-105 Cable	Power		42
373 KCMIL			
Super-Trex® Single Conductor Power Cable	Power	1	40
Super-Trex® Variable Frequency Drive Shielded Power Cable	VFD	3	48
444 KCMIL			
Super-Trex® Single Conductor Power Cable	Power	1	40
Super-Trex® Variable Frequency Drive Shielded Power Cable	VFD	3	48
500 KCMIL			
Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	110
Super-Trex® Medium Voltage Single Conductor Power Cable	Medium Voltage	1	43
Super-Trex® Unshielded Jumper Cable (15 kV)	Medium Voltage	1	45
Super-Trex® Type W—RHH/RHW-2 Single Conductor Power Cable	Power	1	39
Super-Trex® Type MV-105 Cable	Power	1	42

## Gauge Size

535 KCMIL			
PRODUCT NAME	CABLE TYPE	NO. OF CONDUCTORS	PAGE
Super-Trex® Single Conductor Power Cable	Power	1	40
Super-Trex® Variable Frequency Drive Shielded Power Cable	VFD	3	48
646 KCMIL			
Super-Trex® Single Conductor Power Cable	Power	1	40
750 KCMIL			
Super-Trex® Medium Voltage Single Conductor Power Cable	Medium Voltage	1	43
777 KCMIL			
Super-Trex® Single Conductor Power Cable	Power	1	40

## Ratings

RATING	PAGE
ANSI TIA/EIA 568-B	69-71
Antimicrobial	98
ASTM B-33	43
AWM	52, 70, 72
CE	49-50, 57-60, 79, 90
Corona Resistant to 2,000 V	48-50
CSA	29-31, 36-38, 46-47, 53, 56, 60-67, 77-79, 93, 95-100, 108, 113
CSA – 1,000 V	49-50
cUL	32-33, 35, 48
Direct Burial	42
EIA RS-232/422/485	68
Extra Hard Usage	29-31, 33-36, 39
Extreme Usage	46-47
For CT Use	40
Frequency Range up to 500 MHz	69-70
Frequency Range up to 1000 MHz	69
FT-1 Flame Rating	30-32, 38, 46-47, 53, 56, 60-61, 67, 70, 93, 95-100
FT-2 Flame Rating	74, 114
FT-4 Flame Rating	29, 37, 40, 43, 48, 57-59, 77-79
FT-5 Flame Rating	33, 36
Halogen-Free Flame Retardant	69-70
ICEA S-75-381	33, 35
ICEA S-75-381/NEMA WC-58	43
IEC 60332-1	69-70
IEC 61156-5	70
IEC 61156-6	69
IEEE - 383 Flame Rating	43
IEEE 1202 Flame Rating	33, 40
ISO/IEC 11801	69-70