

Build Your Own Nano M8 Cord Sets

The chart below lists components with which to “build” the exact assembly needed. Begin at left with the first column. Write a “C” for cord set or a “R” for receptacle in the box at the top of the column. From the next column, identify the style. Write the appropriate letter in the box at the top of the column. Select components from all remaining columns, writing the desired letters or numbers chosen in the box at the top of each column.

1	2	3	4	5	6	7	8	9
TYPE	STYLE	ENDS	POLES	HEAD CONFIG.	CABLE	UOM	LENGTH	COUPLING
C	A	2	4	E	34	F	020	
C = Cord Set	A = Nano Threaded Coupling	1 = Single End (or Receptacle)	Number of Poles: 3 or 4	A = Male Straight B = Male 90° C = Female Straight D = Female 90°	Nano (Trex-Onics®) 33 = Nano 3 Conductor 24/3 #62323	Unit of Measure: M = Meters	Enter a three digit code in the box above. EXAMPLE: 5 = “005” 50 = “050” 500 = “500”	Blank = Regular
R = Receptacle	C = Nano Receptacle (Threaded/ Snap)	2 = Double End		E = Male Straight to Female Straight F = Male Straight to Female 90° G = Male 90° to Female Straight H = Male 90° to Female 90°	34 = Nano 4 Conductor 24/4 #62324	F = Feet		S = Stainless Steel
				J = Male Straight to Male Straight K = Male Straight to Male 90° L = Male 90° to Male 90°		A = Inches		P = Plastic
				M = Female Straight to Female Straight N = Female Straight to Female 90° P = Female 90° to Female 90°				

In the sample part number above, **CA24E34F020** is a Nano threaded coupling cord set, double ended, 4 pole, male straight to female straight, using 4 conductor Trex-Onics® cable (#62324) and is 20 feet long.